



HIGH PERFORMANCE COOLANT

Premium Technology

## RAK COOLANT READY MIXED

**PRODUCT DESCRIPTION:**

RAK Coolant ready mixed is a high performance coolant designed to provide efficient protection down to -36°C during winter condition. It is a ready to use product that has been premixed with 50% RAK Antifreeze and 50% water.

**Applications:**

Rak coolant ready mixed is recommended for use in applications requiring BS6580-1992 quality standard. Rak Coolant Ready Mixed should not be mixed with other engine coolants. Most coolant blends are based on carefully balanced mixtures of various corrosion inhibitors. Mixing of coolants with different inhibitor packages can lead to loss of corrosion protection.

**Features:**

Rak Coolant ready mixed contains ethylene glycol and helps to prevent winter freezing and summer overheating over a 2 years period. It also provides very good protection against corrosion

**Typical Properties:**

PARAMETERS	Rak Coolant Ready Mixed		
Grade	10%	30%	50%
Color	Green	Green	Red
SP. Gravity @15°C/ 60°F	1.04	1.06	1.08
Flash Point (min)	115	115	115
Boiling Point	110	110	110
PH value	7.1	7.3	7.5

**HEALTH & SAFETY, ENVIRONMENT:**

Prolonged and repeated contact with oil may cause skin disorders. Avoid contact. Wash immediately with soap and water. Do not discharge used oil in to drains or the environment. Dispose to an authorized used oil collection point. For further Information on Safety Guidelines please refer to MSDS available on our website